

September 28, 2017

Member Secretary Goa State Pollution Control Board Dempo Tower, I Floor EDC Complex, Patto Plaza Panaji - 403001, Goa

Dear Sir,

Subject: Environmental Statement for the year 2016-17

Please find enclosed herewith the "Environmental Statement" for the year 2016-17 in Form - V in compliance with Rule-14 of the Environment (Protection) Rules, 1986.

Hope the information provided meets your requirement.

Thanking you,

Yours truly,

For Zuari Agro Chemicals Ltd.

A.A. Pacheco

General Manger-Manufacturing

Enclosed: as above

Pollution Control Board

ZUARI AGRO CHEMICALS LIMITED

(Formerly known as Zuari Holdings Limited)

CIN No.: L65910GA2009PLC006177

Registered Office: Jaikisaan Bhawan, Zuarinagar, Goa - 403726, India

Tel: +0832 259 2180, 259 2181 Fax: +0832 255 5279

ZUARI AGRO CHEMICALS LTD, ZUARINAGAR, GOA

FORM - V

Environmental Statement for the financial year ending 31st March, 2017

PART - A

(i) Name and Address of the Owner / Occupier of the Industry, Operation or Process

Mr. Sunil Sethy Managing Director Zuari Agro Chemicals Ltd. (Fertilizer Division) Jaikisaan Bhawan Zuarinagar – 403 726 Goa

(ii) <u>Industry Category</u> ---- Primary – (STC Code) / Secondary – (SIC Code)

Chemical Fertilizer Industry (Nitrogenous and Complex Grades)

(ii) <u>Production Capacity - Units</u>

Sr. No.	Product	Installed Production Capacity MT/ Year	Actual Production for 2016-17, MT
1	Ammonia *	346500	291113
2	Urea	495000	465132
3	Complex Grades in NPK-A plant	500000	265513.95
4	Complex Grades in NPK-B plant	500000	318479.45

^{(*} Intermediate Product used for captive consumption)

(iv) Year of Establishment

1967 (Actual commercial production started in 1973)

(v) <u>Date of the last Environmental Statement submitted</u>

September 14, 2016

PART - B

Water and Raw Material Consumption

(i)	Water Consumption	M ³ / Day	(Based on typical water balance) at Avg. plant loads)
	Process Cooling Domestic	3470 * 5630 470	, A
	Total	9570 **	

(* includes Boiler feed water make up, Treated water etc.)

^{(**}excludes Avg. colony water supply of about 400 M³ / Day)

Name of Products	Process water consumption per unit of product output		
	During the previous financial year 2015-16	During the current financial year 2016-17	
Urea	7.90 M ³ / MT	7.16 M ³ / MT	
Complex Grades in NPK-A plant	0.1016 M ³ / MT	0.3746 M ³ / MT	
Complex Grades in NPK-B plant	0.3895 M ³ / MT	0.3701 M ³ / MT	

^{(*} Process water consumption requirement of NPK-A and NPK-B plants is met by recycling the effluent/ waste water from Effluent Treatment Plant)

(i) Raw Material Consumption

Name of Raw Material *	Name of Products	Consumption of Raw Material per unit of Output (MT/MT)		
		During the previous financial year 2015-16	During the current financial year 2016-17	
Natural Gas	Ammonia (Intermediate product for captive consumption)	0.560	0.565	
Ammonia	Urea	0.58	0.58	
CO ₂		0.740	0.748	

Name of Raw Material *	Name of Products	Consumption of Raw Material per unit of Output (MT/MT)		
		During the previous financial year 2015-16	During the current financial year 2016-17	
Ammonia	18:46:00 grade	0.1931	0.2152	
P_2O_5	(Samrat)	0.4629	0.4680	
H ₂ SO ₄		0.0486	0.0353	
Filler		0.0388	0.0491	
Ammonia	10:26:26 grade	0.1215	0.1250	
P_2O_5	(Samarth)	0.2609	0.2655	
Potash		0.4444	0.4495	
H ₂ SO ₄		0.0344	0.0083	
Filler		0.0455	0.0404	
Ammonia	12:32:16 grade	0.1458	0.1488	
P_2O_5	(Sampatti)	0.3204	0.3209	
Potash		0.2790	0.2793	
H ₂ SO ₄		0.0208	0.0147	
Filler		0.0730	0.0562	
Ammonia	19:19:19 grade	0.0841	0.0794	
P_2O_5	(Sampoorna)	0.1907	0.1977	
Potash		0.3344	0.3340	
H_2SO_4		0.0124	0.0130	
Filler		0.0168	0.0149	
Urea		0.2626	0.2829	

^{(*} Industry may use codes if disclosing the details of raw materials would violate contractual obligations, otherwise all industries have to name the raw materials used)

PART - C

Pollution discharged to Environment / Unit of Output (Parameters as specified in the consent issued)

Pollutants		Quantity of pollutants discharged (mass/day) Kg/Hr*	Concentration of pollutants in discharge (mass / vol.) mg / Nm3 *	Percentage of variation from prescribed standards with reasons
	(a) Water	NIL	NIL	N.A
	(b) Air			9
i)	Particulate Matter from Prilling Tower – Urea plant		70.45	Less by 53.03%
ii)	Particulate Matter from Dust Separator – Urea plant		70.50	Less by 53%
iii)	Ammonia from Fumes Stack – NPK-A plant	2.20		Less by 78%
iv)	Particulate Matter from Dryer Stack – NPK-A plant		45.03	Less by 69.98%
v)	Particulate Matter from Dedusting Stack – NPK-A plant		43.35	Less by 71.10%
	Ammonia from NPK-B Stack	3.25		Less by 67.5%
	Particulate Matter from NPK-B Stack		53.68	Less by 64.21%
	SO ₂ from Boiler Stack	2.05		NA
	Particulate Matter from Boiler Stack		23.65	NA
	SO ₂ from DG Set stack	14.5		Less by 86.27%
X1)	Particulate Matter from DG Stack		65.08	Less by 56.61%
	NOx from DG Stack		171.33 ppmv	Less by 84.42%
	NMHC from DG Stack		7.55	Less by 94.96%
XIV)	CO from DG Stack		17.61	Less by 88.26%

^{(*} Annual average values expressed at 25 deg. Centigrade, Atm. Pr. & 0 % moisture)

PART - D

[As specified under Hazardous Waste & Other Wastes (Mgt. & Transboudary Movement) Rules, 2016]

Hazardous Waste	Total Quantity		
	During the previous financial year 2015-16	During the current financial year 2016-17	
(a) From Process			
(i) Used / Spent Oil under H.W. Category No.5.1	28.98 MT	13.36 MT	
(ii) Spent Catalyst under H.W.Category No.18.1(iii) Furnace Oil Tank cleaning sludge under	56.03 MT	Nil	
H.W.Category No.3.1	248.59 MT	34.84 MT	
(b) From pollution control facilities(i) ETP sludge under H.W.Category No.34.3	42 MT	40 MT	
(c)(i) Quantity recycled / reused within Unit	42 MT ETP Sludge	40 MT ETP Sludge	
(ii) Sold (used/spent Oil)	28.98 MT	13.36 MT	
(iii) Sold (Spent Catalyst)	56.03 MT	Nil	
(iv) Sold (Furnace oil Tank cleaning residue)	248.59 MT	34.84 MT	

PART - E

Solid Wastes

Solid Waste from Process	Total Quantity	
	During the previous financial year 2015-16	During the current financial year 2016-17
(a) From Process		
(i) DM plant resin material	Approx. 4 M ³	NIL
(ii) Sand from filters	Approx. 19 M ³	Approx. 15 M ³
(iii) Activated carbon from filters	Approx. 6 M ³	Approx. 5 M ³
(b) From pollution control facilities(i) STP Sludge	Approx. 2 M ³	Approx. 2 M ³
(c) (i) Quantity recycled / reused within unit	Approx. 19M ³ (Sand)	Approx. 15M ³ (Sand)
(ii) Quantity Sold	NIL	NIL
(iii) Disposed (Resin material, Active Carbon & STP sludge)	Approx. 12 M ³	Approx. 7 M ³

PART - F

Please specify the characterizations (in terms of composition and quantum) of Hazardous as well as Solid Wastes and indicate the disposal practice adopted for both these categories of wastes

Waste	Composition	Disposal Practice adopted
Hazardous Waste		4
Used / Spent Oil	Used Oil	Sold to recycler registered with CPCB
Furnace Oil Tank sludge & cleaning residue	Oil sludge & cleaning residue	and having valid authorization of SPCI Sold to recycler registered with CPCB and having valid authorization of SPCI
Spent Catalyst	Spent catalyst containing metals/oxides like Ni, Cu, Zn, Fe, Co, Mo etc.in different composition	Sold to recycler registered with CPCB and having valid authorization of SPCE
ETP Sludge	Amm./Urea nitrogen, Phosphate, Sulphate, KCl, Salts of Na, Ca, Mg & Suspended solids	Recovered into process as recycle along with filler material in NPK-A and NPK-B plants
Solid Waste from P	rocess	
DM plant resin material	Water insoluble co-polymers	Used along with backfilling material for structure / building foundation, road construction etc.
Sand from filters		Used along with backfilling material for structure / building foundation, road construction etc.
Activated carbon from filters	Carbon material	Used along with backfilling material for structure / building foundation, road construction etc.
STP Sludge	Organic matter	Used as Bio-fertilizer for green belt.

PART - G

Impact of pollution abatement measures taken on conservation of natural resources and on cost of production

Pollution control measures are an integral part of our processes and every effort is made to reduce the amount of effluent/emission and waste generation in the manufacturing process & associated activities. This has resulted in reduction of consumption of water, raw materials and energy over a period of time. This has also resulted in reduction of effluent/emission generation at source itself and in re-use/recycling/recovery of nutrients from the effluent/wastes. In April 2014 with the new agreement of water supply with Water Resources Department, Goa we have totally stopped utilizing the borewells water. Ultimately all these measures have certainly added to the conservation of natural resources and cost savings. However, the exact impact of this on cost of production is difficult to quantify and thus is intangible.

PART - H

Additional measures / Investment proposal for Environmental Protection including abatement of pollution, prevention of pollution

- (i) Several Energy savings measures implemented over last few years have reduced the specific energy consumption of Urea which has reduced Fuel consumption in our Utility Boilers and hence reduced the emissions. Every year some energy saving measures are implemented.
- (ii) The Reverse Osmosis unit in our ETP provides enhanced treatment and recovery/recycle of treated water from the wastewater/effluent.
- (iii) Revamping of our scrubbing system in NPK-A plant for further reduction of the emission levels completed in November, 2015.
 For debottlenecking the capacity of NPK Plant-B along with product mix change and for further reduction of the emission levels, the Basic Engineering Design Package by M/s Jacobs, USA, Detailed Engineering by JEIL, Mumbai are completed. The Procurement, Erection & Construction activities have been completed to achieve 'Mechanical Completion' status in May, 2017 and Commissioning will follow
- (iv) Approximately Rs.35 crores for capital investment has been earmarked for implementing EC conditions and environment protection measures and Rs.2.5 crores/annum has been earmarked to take care of recurring cost. The major portion of this fund will be utilized for the revamp of scrubbing systems in NPK-A and NPK-B Plants.

- (v) Rain water harvesting for storage in the form of captive lake of 235 MG capacity already exists. In April 2014, with the new agreement of water supply with Water Resources Department, Goa, we have totally stopped utilizing the bore wells water.
- (vi) During its operation for last four decades, Zuari Agro Chemicals Ltd. has already undertaken many eco-development measures like afforestation, creation and maintenance of green belt around the factory premises etc.
- (vii) The Company has also undertaken community welfare measures like providing land for sulabh toilets for general public in the neighborhood, development and maintenance of Children's Park at Municipal garden in Vasco city, maintenance of bus stop shelters at various locations all over Goa state, maintenance of public gardens in Vasco city, beautification of highway road divider, cultivation of Barren Land, awarding scholarships, Set up Skill Development Centre in trades like Electrician,—conducting health camps like malaria awareness, supply of safe drinking water, Installation of Waste bins in Govt. Primary School, distribution of free saplings as a part of tree plantation drive etc. as part of Corporate Social Responsibility Schemes.
- (viii) Continuous Ambient Air Quality Monitoring Station is present that continuously monitors PM10, PM2.5, NH3, SO2 and NO2. The station also provides weather data.
- (ix) The Company continues to maintain the Zero Liquid Discharge status. The final effluent discharge pipeline is being continuously monitored by means of provisions of a camera and a flow meter. The Monitoring is done on a "Real Time" basis as these are hooked up to the CPCB and GSPCB server/system.
- (x) We have installed and commissioned continuous stack emission monitoring station for our common stack of our Utilities Boilers in July 2013 for NOx parameter. We have also installed and commissioned continuous stack emission monitoring station for Ammonia Reformer stack in May 2015 for monitoring NOx. Online DG stack monitoring for Particulate Matter commissioned. NPK-A Plant Fume stack online monitoring of Ammonia parameter has been taken up on trial. Installation of online stack monitoring for NPK-B Plant for Ammonia parameter is in progress.

PART - I

Any other particulars for improving the quality of Environment

- (i) Regular monitoring of process stack emissions once in three months and regular monitoring of ambient air quality around the complex at four strategic CPCB identified locations twice a week by an accredited MoEF&CC recognized laboratory is being carried out. The results of stacks as well as ambient air quality monitoring are well within the standards prescribed by CPCB/SPCB. The monitored results are also displayed on electronic display boards located in public domain. The summaries of results are also sent to the office of RO-MoEF&CC and ZO-CPCB at Bangalore.
- (ii) Work zone environment monitoring for ammonia and noise at various locations inside the factory premises and the ambient noise level at different locations around factory premises is carried out. The results of monitoring conform to the limits prescribed.
- (iii) All the wastewater generated within the factory premises is given primary/secondary treatment and then recycled to NPK-A and NPK-B plants for process use or to cooling towers as part make up water. The domestic effluent is treated in Sewage Treatment Plant and the treated domestic effluent is totally recycled to cooling towers as make up. Zuari Agro Chemicals Ltd. continues to maintain Zero Liquid Discharge status.
- (iv) Every effort is made to reduce the generation of effluent/emission/wastes at the source itself and to explore the possibility of reusing/recycling of the wastes that are generated.
- (v) Hazardous Wastes like used/spent oil, furnace oil tank sludge/cleaning residue and spent catalysts that are generated are stored separately and sold to only those Vendors registered with CPCB as Recyclers and having Consents/Authorization from State Pollution Control Boards.
- (vi) We are disposing off our e-waste to the authorized recycler in compliance with The E-waste (Management) Rules, 2016.
- (vii) Bio-Medical Waste Authorization obtained from GSPCB on 11.01.2017 and in line with Bio-Medical Waste Management Rules, 2016
 - (viii) Other solid materials like product spillages, off specification products, ETP sludge are recycled back to process directly or along with the filler material in NPK-A and NPK-B plants.
 - (ix) Efficient and effective management of cooling water quality control program for operating the cooling towers at higher cycles of concentration to reduce the generation of cooling tower blow-down effluent.

- (x) Effluent storage ponds like acidic/alkali effluent ponds at Water Treatment Plant, Settling ponds/Holding pond/Guard pond at Effluent Treatment Plant are regularly cleaned, inspected, repaired if required and chemically resistant epoxy coated from inside to avoid any seepage.
- (xi) Natural Gas/Ammonia/Chlorine sensors are installed at strategic locations inside the plant premises for early detection of any leak and corrective measures. These sensors are regularly checked for proper functioning.
- (xii) Regular generation of meteorological data like wind speed, wind direction, temperatures and wind rose diagrams by maintaining thermo-hydrograph and data logger.
- (xiii) As is the practice every year, tree plantation drive (Van Mahotsav) is carried out during monsoon. More area around the factory complex is being developed as green belt and saplings of various plants are distributed to the neighboring villagers free of cost.
- (xiv) ZACL has allocated 1000 Square metre land for Garbage Disposal; ZACL has also provided land for construction of Public toilet.
- (xv) Health, Sanitation, and Livelihood Program (SAHYOG) in partnership with NGO "Margdarshak" have carried out several training programs including workshops on sanitation hygiene and health with school children in Zuarinagar, Zari and Velsao.
- (xvi) ZACL has also taken up De-Silting & Deepening of Village Pond for drinking water and plantation in the village Khola, South Goa
- (xvii) Development and maintenance of approx. 50% of area around the factory complex as greenbelt to mitigate the effect of fugitive emissions and noise as per CPCB guidelines.
- (xviii) Zuari is in operation for over four decades. A full fledged laboratory with necessary facilities is created for carrying out analysis and monitoring. Stack emission and ambient air quality monitoring is carried out by MoEF recognized external laboratory as stipulated by GSPCB. A person of Jt. General Manager level is dedicated to be incharge of overall environmental management functions and he is ably assisted by a dedicated team. Besides, environment management is also one of the mainstream functions of all the section heads who contribute in their own way.
- (xix) Training on Environment Management Systems are regularly provided to employees and contract workers.
- (xx) Zuari Agro Chemicals Limited got certified for excellence in "PROTECT & SUSTAIN" stewardship by International Fertilizer Industry Association (IFA) from December 6, 2016.

(xxi) The Company continues its environment and safety initiatives and has successfully implemented internationally recognized Standards and is now (since September 2015) an ISO 14001:2004 & OHSAS 18001:2007 certified organization. The Certification process was carried out by TUV Nord.